



Toase-ehe Park Sanati Gohar Ofogh Petrochemical Co.

**CONCEPTUAL, BASIC and DETAIL DESIGN
ENGINEERING OF STYRENE PARK OFFSITE**



Document Title: Equipment Data Sheet-Active Carbon Filter

Document No. : EI027-ENR-VD-ME-DSH-001

Rev.: R2

Page 1 of 4

Approve as Noted

Vendor specify specified Previous implemented comments by Revision Marks , we Dont have our latest technical changes.

hrco: In all revisions all technical change has been mentioned by revision mark (rev. column)

STYRENE PARK OFFSITE

Document Title:

Equipment Data Sheet-Active Carbon Filter

R2	13/04/2024	Issued for Comment	M.Tavakoli	E.Malek	H.Keshmiri
R1	07/04/2024	Issued for Comment	M.Tavakoli	E.Malek	H.Keshmiri
R0	20/02/2024	Issued for Comment	M.Tavakoli	E.Malek	H.Keshmiri
Rev.	Issued Date	DESCRIPTION	PREPARED	CHECKED	APPROVED



Toase-eh Park Sanati Gohar Ofogh Petrochemical Co.

**CONCEPTUAL, BASIC and DETAIL DESIGN ENGINEERING OF
STYRENE PARK OFFSITE**



Document Title: Equipment Data Sheet-Active Carbon Filter





Document No. : EI027-ENR-VD-ME-DSH-001

Rev.: R2

Page 2 of 4

Page	Revisions						
	R0	R1	R2	R3	R4	R5	R6
1	X	X	X				
2	X	X	X				
3	X	X	X				
4	X	X	X				
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							

Page	Revisions						
	R0	R1	R2	R3	R4	R5	R6
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							

 		Toase-eh Park Sanati Gohar Ofogh Petrochemical Co.		 	
		CONCEPTUAL, BASIC and DETAIL DESIGN ENGINEERING OF STYRENE PARK OFFSITE			
		Document Title: Equipment Data Sheet-Active Carbon Filter			
Document No. : EI027-ENR-VD-ME-DSH-001				Rev.: R2	Page 3 of 4
General					
1	Items	QTY	Active Carbon Filter	2	
2	Tags	PK0002-A/B			
3	Service	VOC abatement from styrene storage tank effluent			
Process Data					
Item	Description	Unit	Value	Rev.	
4	Max. Ambient Design Temperature.	°C	85		
5	Expected Extreme Temperature	°C	52		
6	Min. Ambient Temperature	°C	5		
7	Max. Relative Humidity	%	80		
8	Min. Relative Humidity	%	65		
Process Data					
Item	Description	Unit	Value	Rev.	
9	Type of Fluid		Air+Styrene (3.5 g/Nm ³)		
10	Flow Rate (Operating/Design)	Nm ³ /hr	1080 / 1188 (Note 1)		
11	Working Temperature	°C	31		
12	Working Pressure (norm / max operating / max in case of upset)	barg	Atm / 0.07 / 0.1		
13	Design Temperature	°C	85		
14	Design Pressure	barg	-0.1 ~ 0.2		
15	Viscosity	cP	0.02		
16	Density	Kg/m ³	1.19		
17	Styrene Inlet concentration		3.5 g/Nm ³		
18	Styrene Outlet concentration		< 50 mg/Nm ³		
19	Max pressure drop	bar	0.07	2	
20	Insulation		No		
Mechanical Data					
Item	Description	Unit	Value	Rev.	
21	Shell Inside Diameter	mm	2100		
22	Shell Length (T.L. / T.L.)	mm	5300		
23	Thickness (SHELL / HEAD)	mm	8 / 5.5 (Min. A.F.)		
24	Corrosion allowance	mm	3.0		
25	Radiography (SHELL / HEAD)		Spot / Spot	2	
26	Joint Efficiency (SHELL / HEAD)	%	85 / 85	2	
27	MDMT (Required / Calculated)	°C	-5 / -37		
28	MAWP	barg	2.792		
29	Hydrostatic Test Pressure	barg	3.63 (Hor.)		
30	PWHT	-	No		
31	Impact test	-	No		
32	Activated Carbon Bed Height	m	4.5		
33	Painting		Acco. To Painting Spec.		
34	Fabricated Weight	Kg	4811	2	
35	Operating Weight	Kg	12968	2	
36	Shop Test Weight	Kg	25929	2	
37	Ladder and Platform Weight	Kg	1118	2	



Toase-eh Park Sanati Gohar Ofogh Petrochemical Co.

CONCEPTUAL, BASIC and DETAIL DESIGN ENGINEERING OF STYRENE PARK OFFSITE



Document Title: Equipment Data Sheet-Active Carbon Filter

Document No. : EI027-ENR-VD-ME-DSH-001

Rev.: R2

Page 4 of 4

Material

Item	Description	Value	Rev.
1	Shell & Head	SA 516 Gr.70	
2	Fittings	SA 234 GR.WPB	
3	Reinforcing Pad	SA 516 Gr.70	
4	Leg	SA 36	
5	Nozzle Neck and Pipe	SA 106 Gr. B	
6	Forgings (including Flanges, etc)	SA 105	
7	Gasket	Spiral Wound (S.S.304 / Graphite)	
8	Media	Activated Carbon	
9	Removable / Welded Internals	S.S.304 / C.S.	
10	Stud Bolt & Nut (External)	SA 193 Gr.B7 & SA 194 Gr.2H	
11	Stud Bolt & Nut (Internal)	SA 193 Gr.B8 & SA 194 Gr.8	

Media

Item	Description	Value	Rev.
12	Media Type	Bed	
13	Media Material	Activated Carbon (Note 2)	
14	Shape Type / Dimension	Extrude / 5 mm dia.	
15	Media bulk density	450 kg/m3	
16	Bed Volume	15.6 m3	
17	Media Replacing Time	One year	

Nozzels

Item	Description	QTY	Size	Type	Rating	Face	SCH / THK (mm)	Rev.
12	N1 Gas inlet	1	6"	S.O.	150	R.F.	80 / -	
13	N2 PG	1	1"	THRD.	6000	-	- / -	
14	N3 Vent	1	2"	S.O.	150	R.F.	160 / -	
15	N4 Gas outlet	1	6"	S.O.	150	R.F.	STD / -	
16	N5 Utility Connection	1	2"	S.O.	150	R.F.	160 / -	
17	N6 Drain	1	3"	S.O.	150	R.F.	80 / -	
18	MW	2	24"	S.O.	150	R.F.	- / 8	

Accessories

Item	Description	Rev.
19	<input checked="" type="checkbox"/> Nameplate	
20	<input checked="" type="checkbox"/> Lifting Lug	
21	<input checked="" type="checkbox"/> Earth Lug	
22	<input checked="" type="checkbox"/> Ladder and Platform	
23	<input checked="" type="checkbox"/> Internals (Inlet distributor, bed supports)	
24	<input checked="" type="checkbox"/> Davit for manhole	

Notes

- 1- Feed stream is intermittent at loading time of upstream styrene storage tank.
- 2- Non-regenerable Carbon Active.