



# ASPC Project



<b>END CUSTOMER</b>	: Arya Sasol Polymer Company
<b>CONTRACTOR</b>	: DYPNF Co., Ltd.
<b>VENDOR NAME</b>	: Airpack Netherlands BV
<b>EQUIPMENT DESCRIPTION</b>	: Screw Compressor & Roots Blower : Package
<b>PURCHASE ORDER NUMBER</b>	: PO-PC2312-08

Customer Document : 3944-VD-0171-DYP-RE-400-DWG-0013  
Number

Airpack Document Number : 23383-16


Document Title : Package Nameplate Drawing

Review Code and Status		Contractor Initials/Signature	Date signed
<input type="checkbox"/>	<b>Code 1</b> <b>REJECTED</b> - Vendor to revise and Resubmit. Work cannot proceed		
<input type="checkbox"/>	<b>Code 2</b> Comments As Noted - Work May proceed, subject to compliance with and incorporation of comments		
<input type="checkbox"/>	<b>Code 3</b> No Comments - Work may proceed.		
<input type="checkbox"/>	<b>Code 4</b> Information only - Review not required.		

03	Issued for Approval	29-04-2026	SC	SC	JJ
02	Issued for Approval	12-01-2026	SC	SC	JJ
01	Issued for Approval	09-01-2026	OG	SC	JJ
00	Issued for Approval	13-08-2025	SC	KP	JJ
Rev. No.	Description	Date	Prepared by	Checked by	Approved by




GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL



Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Nitrogen Compressor Package	5
Equipment no:	44C-40001 A	5
Serial no:	T-2025-00804	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	6416 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	1.89 bar(g)	5
Compressor outlet temperature:	189 °C	5
Main motor absorbed power:	356 kW	5
Main motor RPM:	2988 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	5700 x 2903 x 2080 mm (LxWxH)	5
Package weight:	13200 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5



GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
 THE NETHERLANDS  
 TEL.: (+31)(0)111-415455  
 E-MAIL: AIRPACK@AIRPACK.NL




Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Nitrogen Compressor Package	5
Equipment no:	44C-40001 B	5
Serial no:	T-2025-00805	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	6416 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	1.89 bar(g)	5
Compressor outlet temperature:	189 °C	5
Main motor absorbed power:	356 kW	5
Main motor RPM:	2988 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	5700 x 2903x 2080 mm (LxWxH)	5
Package weight:	13200 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5

6 kV & 400 V & 230 V / 50 Hz / 3 ph  
 5700 x 2903x 2080 mm (LxWxH)  
 13200 kg



GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
 THE NETHERLANDS  
 TEL.: (+31)(0)111-415455  
 E-MAIL: AIRPACK@AIRPACK.NL




Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80001 A	5
Serial no:	T-2025-00806	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	4247 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	1.46 bar(g)	5
Compressor outlet temperature:	167 °C	5
Main motor absorbed power:	195 kW	5
Main motor RPM:	2980 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	5500 x 1700 x 1880 mm (LxWxH)	5
Package weight:	8850 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5






GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL



Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80002 A	5
Serial no:	T-2025-00808	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Roots Blower	5
Compressor outlet capacity:	4266 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	0.97 bar(g)	5
Compressor outlet temperature:	154 °C	5
Main motor absorbed power:	193 kW	5
Main motor RPM:	1488 rpm	5
Power supply:	6 kV & 230 V / 50 Hz / 3 ph	5
Package dimensions:	3000 x 2350 x 2600 mm (LxWxH)	5
Package weight:	4260 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5




GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL






GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL

Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80004 A	5
Serial no:	T-2025-00810	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	7339 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	2.20 bar(g)	5
Compressor outlet temperature:	205 °C	5
Main motor absorbed power:	479 kW	5
Main motor RPM:	2985 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	6000 x 2180 x 3413 mm (LxWxH)	5
Package weight:	15000 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5






GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
 THE NETHERLANDS  
 TEL.: (+31)(0)111-415455  
 E-MAIL: AIRPACK@AIRPACK.NL



Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80004 B	5
Serial no:	T-2025-00811	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	7339 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	2.20 bar(g)	5
Compressor outlet temperature:	205 °C	5
Main motor absorbed power:	479 kW	5
Main motor RPM:	2985 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	6000 x 2180 x 3413 mm (LxWxH)	5
Package weight:	15000 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5




GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL



Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80005 A	5
Serial no:	T-2025-00812	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	4226 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	1.41 bar(g)	5
Compressor outlet temperature:	164 °C	5
Main motor absorbed power:	189 kW	5
Main motor RPM:	2980 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3-ph	5
Package dimensions:	5500 x 1700 x 1880 mm (LxWxH)	5
Package weight:	8850 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5



GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL



Customer:	Arya Sasol Polymer Company	5
Contractor:	DYPNF Co., Ltd.	5
Project name:	ASPC Project	5
Purchase Order no:	PO-PC2312-08	5
Equipment:	Air Compressor Package	5
Equipment no:	44C-80005 B	5
Serial no:	T-2025-00813	5
Airpack reference:	23383-COM	5
Year built:	2025	5
Compressor model:	Screw compressor	5
Compressor outlet capacity:	4226 Nm <sup>3</sup> /h	5
Compressor outlet pressure:	1.41 bar(g)	5
Compressor outlet temperature:	164 °C	5
Main motor absorbed power:	189 kW	5
Main motor RPM:	2980 rpm	5
Power supply:	6 kV & 400 V & 230 V / 50 Hz / 3 ph	5
Package dimensions:	5500 x 1700 x 1880 mm (LxWxH)	5
Package weight:	8850 kg	5
Design ambient temperature MIN/MAX:	5 / 48 °C	5



GROENEWEEGJE 19-25, 4301 RN ZIERIKZEE  
THE NETHERLANDS  
TEL.: (+31)(0)111-415455  
E-MAIL: AIRPACK@AIRPACK.NL

